APPLICANTS:

BARLEV, Tuvia et al.

SERIAL NO.:

09/510,550

FILED: Page 3 February 22, 2000

AMENDMENTS TO THE SPECIFICATION

In the Specification:

Please replace the paragraph beginning on page 22, line 3 with the following rewritten

paragraph:

-- A characteristic of the copper conductors in the cable is that the electrical

parameters such as NEXT and FEXT crosstalk between pairs are strongly correlated with the

structure of a binder (i.e., relative isolation) and the relative position (i.e., distance) between

pairs within a binder. This phenomenon is described in more detail in "Media Characteristics"

for High-Speed Digital Transmission in NTT's Local Networks," IEEE IEICE Transaction on

Communications, vol. E.80-B, No. 2, February 1997, pages 345-356, incorporated herein by

reference--

Please replace the paragraph beginning on page 27, line 23 with the following

rewritten paragraph:

-- The power switch 255 256 also comprises a plurality of switches (e.g.,

electromechanical or solid state) each of which is connected to a separate line. Each switch is

capable of connecting a splitter line 258 to either a telephony line 260 or high voltage power

feed 255, in accordance with a command--

Please replace the paragraph beginning on page 60, line 14 with the following

rewritten paragraph:

--ii. if sum < R/2 (i.e., is resilient to line failures) then mark this combination of (K,

R); if sum  $2 \ge R/2$  then do not mark the combination (K, R) and return to step B--